



Z H O N E[®]

Bandwidth Changes Everything™

MXK Product Profile

Bandwidth Changes Everything!™



LEARN MORE
Experience the Network
of the Future... Today


Experience The Next Wave of Access Network Evolution

As telecom operators face ever more competition, they are experiencing an accelerating shift in the demands placed on their access networks. Over the past several years, efforts in response to competitive pressure have been focused largely on expansion into triple-play service models, assembling the right combination of video technologies and content licensing on top of current networks.

More recently, as growing adoption of these services is accompanied by a rapid shift to high definition content and applications like on demand video and YouTube — moving more and more traffic from broadcast to unicast models — demands on the underlying network are intensifying at an incredible pace. Focus is now returning to the access network technology itself. The implications of provisioning 50 to 100 Mbps, even 1 Gbps in point-to-point environment, of non-blocking bandwidth to users to support multiple HD streams per home and multimedia experience, are profound.

To complicate matters further, subscriber expectations for wire line voice quality remain uncompromising no matter what else they may have in their service bundle, which underlying technology is being used to carry their calls, or what they may have become accustomed to with their mobile phone. Hence the challenge of meeting the rapidly rising demand for raw streaming-media bandwidth is compounded by increasing requirements for intelligent, nuanced management of sessions and traffic in different service classes, to ensure consistently high quality of experience across voice, data, and video simultaneously. Subscriber expectations for quality TV are as stringent as they are for voice quality, and meanwhile their Internet connections can never be fast enough.

Competitive pressure is driving down service prices, which requires operators to manage capital and operating costs all the more closely. For access networks, this translates into pursuit of higher efficiencies in deployment, control, and administration even as operators move through complex transitions from TDM to IP, from copper to the various FTTx architectures, and into broader service portfolios.



What's Next in Access

- *Dramatic increases in bandwidth per subscriber*
- *Shift to non-blocking architectures to support high-definition streaming media*
- *Intelligent control to maintain quality of experience across voice, video, and data*
- *Greater capex and opex value from converged multi-service access platforms as applications, service classes, and network designs proliferate*

Bandwidth Changes Everything!

MXK - Intelligent Terabit-Scale Access Concentration

In response to all of these challenges, Zhone has worked closely with innovative operators, large and small, throughout the global telecom community over the past several years to produce a completely new path forward in next generation broadband access and multi-service network architecture.

Zhone's MXK is the industry's first intelligent terabit-scale access concentrator, leading the field across the full spectrum of next-generation multi-service access platform capabilities, whether over fiber, copper, or wireless. The MXK gets right to the heart of the matter, taking the fundamental drivers of customer quality of experience in modern access networks — cost-efficiency, bandwidth, intelligence, reliability, efficiency, and security — to unrivaled levels of scale and performance.

Cost-efficiency – Industry leading port density coupled with the options for varied form factors including chassis based and 1U fixed platforms ensure MXK provides the highest cost-efficiency for the service providers. Ease of deployment and management help reduce ongoing operating expenditure and further improved the ROI metrics for the service provider.

Bandwidth - Center stage in the MXK design is non-blocking capacity up to 3,600 100 Mbps GPON subscribers or 360 1G Active Ethernet subscribers per chassis, served by an all-IP switching fabric capable of 4.6 Tbps. MXK has a GPON subscriber system capacity of 9,216 subscribers per chassis. With fully redundant, dual-star 20 Gbps connections to every slot in the chassis, the MXK provides unmatched non-blocking bandwidth for HD and unicast-rich services.

Intelligence - The MXK complements massive bandwidth with the utmost in access intelligence, tapping directly into multiple years of Zhone's development of the SLMS access operating system. The product of hundreds of operator engagements in over 70 countries, SLMS brings a wealth of layer 2 bridging, traffic policing, rate shaping, and multicast group management to the platform from the onset.

Reliability - From the fully-redundant and hot swappable design of the hardware itself all the way up through its software for link aggregation and resilient networking protocols such as EAPS, RSTP, and MSTP, the MXK is designed to deliver high-performance, reliability and uptime. MXK also supports Class B redundancy for GPON resiliency.

Efficiency - The MXK continues Zhone's tradition of pioneering MSAP-based efficiencies for telecom operators, through future proof flexibility and powerful management interfaces. Unparalleled port density saves you capital, space, power, and maintenance costs. Any service, any slot flexibility, along with tight integration with the rest of Zhone's SLMS portfolio, allow you to use a single access platform across your network for a wide variety of situations - from GPON and Active Ethernet to ADSL2+, VDSL2, EFM, metro Wi-Fi, and POTS — thereby reducing operational costs throughout your organization, and protecting your investment as your service portfolio grows.

Management - Zhone's ZMS is a highly scalable platform that offers full configuration and management capabilities with an open northbound interface for automated service provisioning from the customer's OSS/BSS system. The platform can be configured for high availability with an additional remote server for disaster recovery. The ZMS application utilizes Oracle's WebLogic and Oracle database to provide state-of-the-art software infrastructure for advanced management capabilities.


Security - As the managed network element closest to the end customer, access concentration platforms can potentially represent significant security risk and vulnerability. To maintain tight security in the last mile, the MXK mounts considerable defenses powered by all of Zhone's SLMS security features, including multicast control lists, secure bridging, broadcast suppression, dynamic IP filtering, SSH and SFTP, and RADIUS authentication. Operators worldwide are embracing MXK today — please contact us to learn more about how intelligent terabit-scale access can help drive greater profits for your operation.

MXK - Bandwidth Changes Everything

Intelligent Terabit-Scale Access Concentration

MXK Features at a Glance

- Non-blocking capacity of up to 3,600 100 Mbps GPON subs or 360 1G Active Ethernet subs
- MXK has a GPON subscriber system capacity of 9,216 subscribers per chassis.
- Intelligent network control, through 802.1p, Q-in-Q, QoS, Traffic Shaping, DSCP, and a host of other Quality of Experience and security features
- Carrier-grade reliability via hardware redundancy, LACP, EAPS, and MSTP
- Delivering on the efficiency promise of truly integrated multi-service access platforms — with GPON and Active Ethernet as well as high-density copper interfaces for EFM, VDSL, VDSL2, ADSL, ADSL2, ADSL2+, POTS and combo cards
- Powered by the extensively field-proven Zhone SLMS access operating system, tightly integrated with complete Zhone access platform portfolio
- Web UI management for smaller networks and ZMS & OSS gateway for larger networks



MXK - Bandwidth Changes Everything


FTTx Access Network Evolution

The steadily increasing demands for bandwidth driven by on-demand content, HDTV, faster Internet access, new applications and emerging streaming video unicast models have operators worldwide moving deeper into fiber deployments for both residential and business services. The MXK MSAP is a fiber OLT with GPON and Active Ethernet cards for seamless migration to FTTx.

FTTH GPON Services MXK supports G.984 standards-based GPON to the home with 2.5 Gbps downstream and 1.25 Gbps upstream. MXK offers both 4 and 8 port GPON cards that supports 1-64 PON splits per fiber. RF video overlay is supported using a 1550nm wavelength for the RF signal over GPON. FTTH/FTTP Active Ethernet MXK offers 100/1000 Mbps Active Ethernet (SFP based) fiber services for point-to-point applications. Active Ethernet can be used for residential Triple Play applications and is especially suited for higher bandwidth business services. Active Ethernet works with either single or dual fibers, with MXK supporting up to 20 subscribers per Active Ethernet line card.

Complete FTTx Solution

Zhone provides complete FTTx solutions for GPON and Active Ethernet to simplify installation and enhance services. Zhone has the industry's broadest range of outdoor and indoor zNID ONTs, PON splitter modules and chassis, and WDM combiner modules. Zhone offers HPNA home networking and advanced IP intelligence on numerous zNID ONTs to deliver triple play services over fiber quickly and easily with no new wiring at the premise.



MXK - Bandwidth Changes Everything

Management

ZMS

ZMS™ is a standards-based, carrier-class element management solution that provides management support for Zhone multi-service networks. The ZMS client-server architecture uses proven industry standard components to provide a robust platform. ZMS automates a number of complex, tedious and error-prone tasks, thereby raising productivity, improving accuracy and reducing costs for operators. ZMS supports the following applications:

Fault Manager

- Processing of network events to alarms
- Alarm correlation and logging

Configuration Manager

- Device configuration & provisioning

Performance Manager

- Retrieval of real-time statistics

User Administration

- User authentication and privilege control

Database Manager

- Policing of information to and from the database

Network Service

- Provide interface between various server components and devices using SNMP

OSS Gateway

- Provides a northbound CORBA IDL interface
- Scalable to large volume service transactions
- Provides single OSS integration point

Communication to Devices

- SNMP : configuration, fault and real-time performance management
- FTP: file transfer (download software and historical statistics)

Provisioning

- Provides full pre-provisioning of Voice, Video and Residential Gateway Data services prior to ONT installation.
- Provisions Residential Gateway features in the ONT, including VLAN IDs and port membership, DHCP Server configuration, NAT enable/disable, Static Routes, Port Forwarding rules, Access Control lists, WiFi SSID and Security parameters.
- The Industry's only fully integrated Service Provisioning solution for deployment of GPON ONTs with Residential Gateway features.

Zhone Web GUI

Simple single device management

Provides configuration, statistical monitoring, and maintenance capability in an embedded web interface enabling Internet access on a PC or laptop with intuitive menus. The Web GUI supports all MXK, MALC and Raptor products.

MXK - Bandwidth Changes Everything

Access Aggregation Platform

MXK is the industry's first intelligent terabit-scale access concentrator, leading the field across the full spectrum of next-generation multi-service access platform capabilities, whether over fiber or copper.

	MXK 823/819	MXK 319	MXK 194/198
Physical			
Configuration	Chassis	Chassis	Fixed 1U
Size	8U x 19 or 23" rack	3U x 19" rack	1U x 19"
Power	-48V DC	-48V DC	-48V DC
Uplink Slots	2	2	N/A
Line Card Slots	18/14	7	N/A
Ambient Temperature	-40C to +65C	-40C to +65C	-40C to +65C
Card Replace	Hot Swap	Hot Swap	N/A
Uplinks			
10 Gig.E	•	•	•
Gig.E	•	•	•
EAPS	•	•	•
LAGG / LACP	•	•	•
MSTP	•	•	•
Management			
ZMS/CLI	•	•	•
Web GUI	•	•	•
EZ Touch	•	•	•
Data Features			
Layer 2 Bridging	•	•	•
Layer 3 Routing	•	•	•
DHCP Sever/Relay	•	•	•
802.1p QoS	•	•	•
802.1Q VLAN	•	•	•
E-TREE	•	•	•
E-LAN	•	•	•
E-LINE	•	•	•
Policing	•	•	•
Traffic Shaping	•	•	•
RSTP IEEE 802.1w	•	•	•
Video Features			
IGMP Snooping	•	•	•
IGMP Proxy	•	•	•
MVR	•	•	•
RF Video Overlay	•	•	•
Voice Features			
MGCP	•	•	•
SIP	•	•	•
H.248	•	•	•
ESA (Emergency Stand Alone)	•	•	•
SIP-PLAR	•	•	•
TDM / Copper			
POTS	72-1296/1008	72-504	N/A
POTS/ADSL2+	48-384/288	48-144	N/A
POTS/VDSL2	24-432/336	24-168	N/A
T1/E1 PWE	24-432/336	24-168	N/A
DSL / Copper			
ADSL2+ with bonding	ADSL2+ 48-1296/1008	ADSL2+ 48-504	N/A
ADSL2+ W/splitters	48-384/288	48-144	N/A
VDSL2 with bonding	24-432/336	24-168	N/A
VDSL2 W/splitters	24-432/336	24-168	N/A
EFM / Copper			
T1/E1 EFM	24-432/336	24-168	N/A
EFM G.SHDSL with Cross Card bonding	24-432/336	24-168	N/A
Fiber			
GPON-4*	256-4608/3584	256-1792	256
GPON-8*	512-9216/7168	512-3584	512
Active Ethernet	20-360/280	20-140	N/A
OC OC-3/STM-1 PWE	2-36/28	2-14	N/A

*Assumes 64 splits

THE IP ZHONE

ZHONE[®]
FIBERCELL[™]

ZHONE[®]
FIBERHOME[™]

ZHONE[®]
FIBERLAN[™]



LEARN MORE
Experience the Network
of the Future... Today



Bandwidth Changes Everything[™]

Zhone Technologies, Inc.

7195 Oakport Street, Oakland, CA 94621
Phone: 1 510.777.7000 • www.zhone.com

For more information about Zhone and its products, please visit the Zhone Web site at www.zhone.com or e-mail info@zhone.com

Zhone, the Zhone logo, and all Zhone product names are trademarks of Zhone Technologies, Inc. Other brand and product names are trademarks of their respective holders. Specifications, products, and/or product names are all subject to change without notice.

Copyright 2012 Zhone Technologies, Inc. All rights reserved.



**Made In
The USA**